



OpenVox VS-GW1202 V2 LTE Wireless Gateway

The VS-GW1202 V2 Wireless Gateway, an update to the VS-GW1202 Series, is currently the most popular open-source Asterisk-based VoIP Gateway for SMBs and SOHOs. Users may simply personalize their Gateway because of the user-friendly interface and modular design. Also, secondary development is often completed through AMI (Asterisk Management Interface).



Features	
<ul style="list-style-type: none"> ◆ Simple and convenient configuration via Web GUI ◆ Support http / https / SSH ◆ Basic security strategy(white/black list, security rules) ◆ Optional GSM Voice Codec ◆ SIP(RFC3261) compliance ◆ Support diverse SIP, IAX2 protocols ◆ Multiple SIP/IAX2 Registration models: None, server, client DTMF Signaling support: RFC2833, In band, SIPINFO ◆ Real Open API Protocol(based on Asterisk) ◆ Support static IP and DHCP ◆ Call Duration Limit ◆ CLIR(Call Line Identification Restriction) 	<ul style="list-style-type: none"> ◆ Call Waiting ◆ Call Forwarding (unconditional, no reply, busy, not reachable) ◆ SMSC/SMS/USSD ◆ SMS bulk transceiver, SMS automatically resend, Sent to Email ◆ Support HTTP SMS interface ◆ SMS Forwarding ◆ USSD transceiver ◆ Available for OEM ◆ Compatible with sip server, such as: Asterisk, Elastix, 3CX, Free SWITCH, etc. ◆ 3-Month "No Questions Asked" Return Policy ◆ Support for custom scripts, dial plans ◆ One Year Warranty

OpenVox VS-GW1202 V2 LTE Wireless Gateway			
Module Type	GSM	WCDMA	LTE
Band	850/900/1800/1900MHz@GSM	900/2100MHz @UMTS 900/1800MHz @GSM	LTE FDD: B1/B3/B5/B8 LTE TDD: B38/B38/B40/B41 WCDMA: B1/B8 TD-SCDMA: B34/B39 CDMA: BC0 GSM: 900/1800MHz

Office Address	Contact Us Via Mobile	Contact Us Via Mail
----- Asfera Technologies Private Limited , Saroj Tower,Office No:- 15 First Floor, 59/1, above Bank of Baroda, Kalkaji Extension, New Delhi, 110019.	----- +91-9066677770 +91-1146579777	----- info@asfera.in sales@asfera.in